




C(D)Q2, Compact Cylinder, Double Acting, Single Rod w/Auto Switch Mounting Groove CQ2D63-50DZ

Datasheet

General series information


- Double acting, single rod, compact cylinder
- Bore sizes (mm): 12, 16, 20, 25, 32, 40, 50, 63, 80, 100
- Standard stroke range (mm): 5 to 100
- Port threads: M (12 to 25 bore); Rc, NPT or G (32 to 100 bore)
- Can mount small auto switches on 4 surfaces.

Standard specifications

Magnet	None
Mounting	D (Double Clevis)
Type	Standard
Bore Size	Ø63 mm
Port Thread Type	Rc
Lube-retainer	Without Stable Lubrication Function
Stroke	50
Body Option	Standard [Rod End Female Thread]
Auto Switch Groove	None, also for 12-25 Bore w/o Magnet
Mounting Bolt	None
Rod End Bracket	None
Auto Switch	No Switch
Lead Wire or Prewired Connector	Z (5 m)
Number	2 pcs.
Rod End Options	None
Temperature Resistance	None
Low Speed	None
Made of Stainless Steel	None

Fluororubber Seal	None
-	Compressed air

Dimensions



ニ山クレビス形												(mm)
タイプ	23-ロー	オートスイッチ手動				オートスイッチ付				CD/CT/CUCW/CX		
(mm)	(mm)	A	B	CL	A	B	CL	A	B	CL	CD	CT
63	10~20	10	15	25	14	96	46	84	14	8	20	30
80	10~20	10	15	25	14	96	46	84	14	8	20	30
100	10~20	10	15	25	14	96	46	84	14	8	20	30
125	10~20	10	15	25	14	96	46	84	14	8	20	30
160	10~20	10	15	25	14	96	46	84	14	8	20	30
200	10~20	10	15	25	14	96	46	84	14	8	20	30
250	10~20	10	15	25	14	96	46	84	14	8	20	30
315	10~20	10	15	25	14	96	46	84	14	8	20	30
400	10~20	10	15	25	14	96	46	84	14	8	20	30
500	10~20	10	15	25	14	96	46	84	14	8	20	30
630	10~20	10	15	25	14	96	46	84	14	8	20	30
800	10~20	10	15	25	14	96	46	84	14	8	20	30
1000	10~20	10	15	25	14	96	46	84	14	8	20	30
1250	10~20	10	15	25	14	96	46	84	14	8	20	30
1600	10~20	10	15	25	14	96	46	84	14	8	20	30
2000	10~20	10	15	25	14	96	46	84	14	8	20	30
2500	10~20	10	15	25	14	96	46	84	14	8	20	30
3150	10~20	10	15	25	14	96	46	84	14	8	20	30
4000	10~20	10	15	25	14	96	46	84	14	8	20	30
5000	10~20	10	15	25	14	96	46	84	14	8	20	30
6300	10~20	10	15	25	14	96	46	84	14	8	20	30
8000	10~20	10	15	25	14	96	46	84	14	8	20	30
10000	10~20	10	15	25	14	96	46	84	14	8	20	30
12500	10~20	10	15	25	14	96	46	84	14	8	20	30
16000	10~20	10	15	25	14	96	46	84	14	8	20	30
20000	10~20	10	15	25	14	96	46	84	14	8	20	30
25000	10~20	10	15	25	14	96	46	84	14	8	20	30
31500	10~20	10	15	25	14	96	46	84	14	8	20	30
40000	10~20	10	15	25	14	96	46	84	14	8	20	30
50000	10~20	10	15	25	14	96	46	84	14	8	20	30
63000	10~20	10	15	25	14	96	46	84	14	8	20	30
80000	10~20	10	15	25	14	96	46	84	14	8	20	30
100000	10~20	10	15	25	14	96	46	84	14	8	20	30
125000	10~20	10	15	25	14	96	46	84	14	8	20	30
160000	10~20	10	15	25	14	96	46	84	14	8	20	30
200000	10~20	10	15	25	14	96	46	84	14	8	20	30
250000	10~20	10	15	25	14	96	46	84	14	8	20	30

Additional information

Catalogue

[CQ2-Z-B_EU.pdf](#)